

PHILIPPINE BIDDING DOCUMENTS

Supply and Delivery of Various uPVC Pipes and Fittings

Manolo Fortich Water District

June 2021

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	10
1. Scope of Bid	11
2. Funding Information.....	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	11
5. Eligible Bidders.....	11
6. Origin of Goods	12
7. Subcontracts	12
8. Pre-Bid Conference	12
9. Clarification and Amendment of Bidding Documents	12
10. Documents comprising the Bid: Eligibility and Technical Components	12
11. Documents comprising the Bid: Financial Component	13
12. Bid Prices	13
13. Bid and Payment Currencies	14
14. Bid Security	14
15. Sealing and Marking of Bids	14
16. Deadline for Submission of Bids	15
17. Opening and Preliminary Examination of Bids	15
18. Domestic Preference	15
19. Detailed Evaluation and Comparison of Bids	15
20. Post-Qualification	16
21. Signing of the Contract	16
Section III. Bid Data Sheet	17
Section IV. General Conditions of Contract	19
1. Scope of Contract	20
2. Advance Payment and Terms of Payment	20
3. Performance Security	20
4. Inspection and Tests	20
5. Warranty	21
6. Liability of the Supplier	21
Section V. Special Conditions of Contract	22
Section VI. Schedule of Requirements	25
Section VII. Technical Specifications	26
Section VIII. Checklist of Technical and Financial Documents	3

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Manolo Fortich Water District
A. Ditona St., Tankulan, Manolo Fortich, Bukidnon
Hotline: 0917-718-1311
Email: mfwd_buk@yahoo.com

-

**INVITATION TO BID FOR SUPPLY AND DELIVER OF VARIOUS
UPVC PIPES AND FITTINGS**

ITB No.: 2021-06-004

1. The Manolo Fortich Water District, through the MFWD Corporate Operating Budget of 2021 intends to apply the sum of Two Million Nine Hundred Three Thousand Seven Hundred Sixty-Eight (PhP 2,903,768.00) being the ABC to payments under the contract for Supply and Delivery of Various uPVC Pipes and Fittings/ *ITB No. 2021-06-004*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The Manolo Fortich Water District now invites bids for the above Procurement Project. Delivery of the Goods is required by Sixty (60) calendar days after the receipt of NTP or as indicated in the Notice to Proceed. Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information from Manolo Fortich Water District and inspect the Bidding Documents at the address given below during office hour from 8:00am to 5:00pm.
5. A complete set of Bidding Documents may be acquired by interested Bidders on June 22, 2021 from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (PhP 5,000.00)*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person or through electronic means.

6. The Manolo Fortich Water District will hold a Pre-Bid Conference¹ on June 29, 2021, 2:00pm at MFWD Bldg, Tankulan, Manolo Fortich, Bukidnon, which shall be open to prospective bidders, one (1) representative per bidder subject to existing health protocols.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Deadline of submission of bids is on July 12, 2021, 12:00noon. Bid opening shall be on July 12, 2021, 2:00pm at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The Manolo Fortich Water District reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

Joan N. Cañete
0906-786-0180
mfwd_buk@yahoo.com

12. You may visit the following websites:

For downloading of Bidding Documents: <https://mfwd.gov.ph/supply-and-delivery-of-various-upvc-pipes-and-fittings/>

June 22, 2021

ENGR. ERMITO L. GANAS(sgd)
BAC Chairman

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Manolo Fortich Water District wishes to receive Bids for the Supply and Delivery of Various uPVC Pipes and Fittings with identification number 2021-06-004.

The Procurement Project (referred to herein as “Project”) is composed of One (1) lot, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for 2021 in the amount of Two Million Nine Hundred Three Thousand Seven Hundred Sixty Eight (PhP 2,903,768.00).

2.2. The source of funding is:

a. GOCC, the Corporate Operating Budget.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address June 29, 2021, 2:00pm as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.

- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within two (2) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
 - b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until November 9, 2021. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit five (5) copies of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the

NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be: <ul style="list-style-type: none"> a. <i>uPVC Pipes and Fittings</i> b. completed within two (2) years prior to the deadline for the submission and receipt of bids.
7.1	<i>No further Instruction.</i>
12	The price of the Goods shall be quoted DDP - <i>MFWD Compound, Kihare, Manolo Fortich, Bukidnon</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the amount of not less than PhP 58,075.36 in cash or cashier's/manager's check.
19.3	<i>No Further Instruction</i>
20.2	<i>No Further Instruction</i>
21.2	<i>No Further Instruction</i>

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>“The delivery terms applicable to this Contract are delivered to MFWD Compound, Kihare, Tankulan, Manolo Fortich, Bukidnon. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is Mr. Aldwin L. Olaivar.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>

	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	The terms of payment shall be thirty days after the final date of acceptance.
4	The inspections and tests that will be conducted are: Please refer to Section VII. Technical Specifications.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	150mm (6") diameter uPVC Pipes Series 8	337	337	Within Sixty (60) days after the Receipt of Notice to Proceed or as Indicated in the NTP
2	100mm (4") Diameter uPVC Pipes Series 8	160	160	Within Sixty (60) days after the Receipt of Notice to Proceed or as Indicated in the NTP
3	100mm (4") diameter Double Hub Pipe	29	29	Within Sixty (60) days after the Receipt of Notice to Proceed or as Indicated in the NTP
4	75mm (3") diameter Double Hub Pipe	28	28	Within Sixty (60) days after the Receipt of Notice to Proceed or as Indicated in the NTP

Section VII. Technical Specifications

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder</i></p>

		or supplier liable for prosecution subject to the applicable laws and issuances.]																														
I.	<p>UNPLASTICIZED POLYVINYL CHLORIDE (uPVC)</p> <p>A. uPVC Pipes</p> <p>Pipe shall conform to the requirements on the standards for Unplasticized Polyvinyl Chloride (uPVC) “Pressure Pipes” with nominal pipe size diameter of 150mm and 100mm intended for the conveyance of potable water supply under pressure.</p> <p>The pipe shall conform with the requirements of the Philippine National Standard Specification (PNS 65:1993) for Unplasticized Polyvinyl Chloride (uPVC) Series 8 except as otherwise specified herein and shall have the following features and specifications:</p>																															
	<p>A.1 Dimension</p> <table><tr><th>Nominal Pipe Size (mm)</th><th>Nominal Outside Diameter (mm)</th><th>Diameter Tolerance (OD) (mm)</th><th>Minimum Socket Depth (mm)</th><th>Effective Length (meter)</th><th>Wall Thickness Series 8 minimum (mm) PNS 65:1993</th></tr><tr><td>100 uPVC pipe</td><td>110</td><td>110.40</td><td>114</td><td>6.00</td><td>6.3</td></tr><tr><td>150 uPVC pipe</td><td>160</td><td>160.50</td><td>131</td><td>6.00</td><td>9.2</td></tr><tr><td>100(double hub) pipe</td><td>110</td><td>110.4</td><td>114</td><td>0.60</td><td>6.3</td></tr><tr><td>75(double hub) pipe</td><td>90</td><td>90.30</td><td>107</td><td>0.33</td><td>5.2</td></tr></table>	Nominal Pipe Size (mm)	Nominal Outside Diameter (mm)	Diameter Tolerance (OD) (mm)	Minimum Socket Depth (mm)	Effective Length (meter)	Wall Thickness Series 8 minimum (mm) PNS 65:1993	100 uPVC pipe	110	110.40	114	6.00	6.3	150 uPVC pipe	160	160.50	131	6.00	9.2	100(double hub) pipe	110	110.4	114	0.60	6.3	75(double hub) pipe	90	90.30	107	0.33	5.2	
Nominal Pipe Size (mm)	Nominal Outside Diameter (mm)	Diameter Tolerance (OD) (mm)	Minimum Socket Depth (mm)	Effective Length (meter)	Wall Thickness Series 8 minimum (mm) PNS 65:1993																											
100 uPVC pipe	110	110.40	114	6.00	6.3																											
150 uPVC pipe	160	160.50	131	6.00	9.2																											
100(double hub) pipe	110	110.4	114	0.60	6.3																											
75(double hub) pipe	90	90.30	107	0.33	5.2																											

	<p>A.2 Taking Samples</p> <p>Shall be randomly selected by the MFWD personnel from the pipes intended for delivery and will be subjected to the following test:</p> <ol style="list-style-type: none"> 1. Materials, appearance and dimensions 2. Chemical / Mechanical Test <ol style="list-style-type: none"> a) Quick burst pressure – The pipe shall withstand the applied pressure for at least 60 seconds without failure. The value for the induced stress used in calculating pressure requirements is 4.56MPa for series 8 uPVC pipes at 28°C. b) Short term pressure – The pipe shall withstand the applied pressure for at least One (1) hour without failure. The value for the induced stress use in calculating pressure requirement is 4.30MPa for series 8 uPVC pipes. c) Long term pressure – The pipe shall withstand the applied pressure for at least 1000 hours without failure. The value for the induced stress used in calculating pressure requirement is 1.6MPa. c) Flattening – The pipe shall not show evidence of splitting, cracking or breaking when flattened to a minimum of 40% of its outside diameter. d) Impact test – The pipes with normal wall thickness of 14.9 or less, if tested for resistance to external blows at 0°C shall have true impact rate (TIR) of not more than 10% when tested at the levels given. e) Dichloromethane – Cut Specimen shall be submerged in Dichloromethane for 30 minutes; No attack at any part of the surface of the specimen at bath temperature of 150±1°C in accordance to ISO 9852. f) Shrinkage – Cut specimen will be subjected to oven test with 150 °C for a period of One (1) hour allowable shrinkage shall only be 5%. 	

	<div><h3>A.3 Machine Installed Fixed Seal</h3><p>The composition of two-component built-in seal, the flexible EPDM rubber element to effectively seal against spigot and socket, and a reinforcing carbon steel element bonded to the rubber element to hold the seal in the correct position and firm in place, that can resist pressure effectively under both positive and negative following the best practice of sealing using European Belling Equipment. EPDM Rubber Seal Materials in accordance to ISO4633 and Carbon Steel complying SAE1008.</p><div><div></div><div><div>1. Contamination –free</div><div>2. Leak – free</div><div>3. Ensuring clean, safe drinking water</div></div></div></div>													
	<div><h3>A.4 Lower NRW</h3><p>Socket and seal gaskets are formed and installed in the shop floor, ensuring a perfect joint, that there are no dust and dirt lodged between the pipe and gasket, thus leading to a superior joint.</p><table><tr><th>PROPERTY</th><th>STANDARD REQUIREMENT</th><th>TEST METHOD</th></tr><tr><td>Vicat Softening Temperature, °C, minimum</td><td>76</td><td>ISO 2507 (S-8)</td></tr></table><div><table><tr><td rowspan="2">Longitudinal Reversion</td><td>Wall thickness ≤8mm</td><td>5% maximum after 1 hour at 150°C</td><td rowspan="2">ISO 2505 (S-8)</td></tr><tr><td>Wall Thickness >8mm</td><td>5% maximum after 2 hour at 150°C</td></tr></table></div></div>	PROPERTY	STANDARD REQUIREMENT	TEST METHOD	Vicat Softening Temperature, °C, minimum	76	ISO 2507 (S-8)	Longitudinal Reversion	Wall thickness ≤8mm	5% maximum after 1 hour at 150°C	ISO 2505 (S-8)	Wall Thickness >8mm	5% maximum after 2 hour at 150°C	
PROPERTY	STANDARD REQUIREMENT	TEST METHOD												
Vicat Softening Temperature, °C, minimum	76	ISO 2507 (S-8)												
Longitudinal Reversion	Wall thickness ≤8mm	5% maximum after 1 hour at 150°C	ISO 2505 (S-8)											
	Wall Thickness >8mm	5% maximum after 2 hour at 150°C												

	Hydrostatic Pressure	Burst Pressure	The pipe shall withstand 4.56MPa for at least 60 seconds without failure	ISO 1167-1 / ISO 1167-2 (S-8)
		Short Term Pressure	The pipe shall withstand 4.30MPa for at least 1 hour without failure	
		Long Term Pressure	The pipe shall withstand for at least 1000 hours without failure	
	Water Absorption, g/m ² , maximum	40		ISO 2508 (S-8)
	Resistance to Sulfuric Acid	Mass of specimen shall not increase by more than 0.316g nor decrease by more than 0.013g		ISO 3473 (S-8)
	Resistance to Acetone	No sign of delamination or disintegration after 2 hours of immersion		ISO 3472 (S-8)
	Resistance to External Blows (Impact test)	True Impact test (TIR) shall not exceed 10% where TIR =Total number of breaks / Total number of blows		ISO 3127 (S-8)

	Flattening	No evidence of splitting, cracking or breaking when flattened to 40% of the outside diameter	ASTM D2241 (S-8)	
	Resistance to Dichloromethane at specific temperature (Degree of gelation)	No attack at any part of the surface of the test piece (30 minutes); 1 test piece; Temp. of bath $= (150 \pm 1)^{\circ}\text{C}$	ISO 9852 (S-8)	
	A.5 Low Toxicity from Heavy Metals Cadmium of total extraction of 0.01 mg/l, Mercury of 0.001 mg/l, Tin of 0.02 mg/l and lead of 0.05 mg/l, all measured as metals and shall be determined in accordance with the method described in PNS 966/ISO 3114.			
	A.6 Non-Conductive uPVC is a non-conductor of electricity which contributes to the safety of installation. This property also eliminates problems of electronic corrosion and the expense of cathodic protection in highly corrosive soil conditions.			
	A.7 Pipe Ends Should be cleanly cut and square to the axis of the pipes, 15° chamfering at the spigot end.			
	A.8 High Flow Capacity The interior surface is much smoother than steel and other conventional piping materials, its C-value (Hazen-Williams flow factor) is in the range of 140 – 160, this means increased flow – less pressure drop, less pump capacity required with more water delivered at design pressure and volume.			
	A.9 Pipe Composition A pipe produced basically from an extrusion grade PVC material of high molecular weight which does not contain any plasticizer. The materials from which the pipes are made shall consist substantially of polyvinyl chloride that conforms with PNS 291, to which maybe added only those additive necessary to facilitate the manufacture of quality pipes of good surface finish and sound physical, mechanical and chemical properties. None of the additives shall be used separately or together in quantities sufficient to constitute a toxic, organoleptic or microbial growth hazard or to impair the fabrication or welding properties of the product, or to			

	<p>impair the chemical, mechanical and physical properties (particularly long –term hydrostatic and impact strength) as defined in this standard. The use of the manufacturer’s own clean rework material produced during a manufacturer and production testing of products conforming of this standard is permissible. No other rework materials shall be used.</p>	
	<p>A.10 Chemical Resistance</p> <p>uPVC resist the attack of chemicals, acids and alkaline commonly associated with the treatment and distribution of potable water. Also, the pipe does not taint the water, rust or corrode.</p>	
	<p>A.11 Temperature Resistance</p> <p>Temperature above 170° F will slightly soften uPVC pipe. This temperature limit is well above normal operating conditions for potable water systems.</p>	
	<p>A.12 Weather Resistance</p> <p>uPVC are not easily affected by sunlight, wind, or rain. Its physical properties and performance do not deteriorate when exposed to this element.</p>	
	<p>A.12 Markings</p> <p>The pipes shall be clearly marked with the following information spaced at intervals of not more than one meter with the following text:</p> <ul style="list-style-type: none"> - Name of Product - Nominal outside diameter, mm - Series and/or Nominal Pressure, MPa - Manufacturer’s name and/or recognized trademark - The words “Made in the Phil.” - The words “For Potable Water” 	
	<p>A.12 Hydro-Testing</p> <p>During hydro-testing, if uPVC pipes found defective, the winning bidder will replace the uPVC pipes delivered and the cost of installation.</p>	

	B. Other Requirements:	
	B.1. Notarized Manufacturer Certification of uPVC Pipes.	
	B.2. Certificate notarized issued in accordance to PNS 65:1993 that uPVC Pipes used for Potable Water Supply.	
	B.3. Certificate notarized issued by PVC resin supplier that Resin should be made with 90% K65 Resin By Mass in accordance to PNS 291:1991.	
	B.4. Certificate notarized Laboratory Test Result on Low Toxicity from Heavy Metals where Cadmium of total extraction of 0.01 mg/l, Mercury of 0.001 mg/l, Tin of 0.02 mg/l and lead of 0.05 mg/l, all measured as metals and shall be determined in accordance with the method described in PNS 966/ISO 3114.	
	B.5. Certificate notarized and issued by the manufacturer of EPDM rubber that the machine-installed metal reinforced integrated gasket seal are EPDM rubber complying ISO4633 and Carbon Steel complying SAE1008.	
	B.6. Certificate notarized issued by the installer that the machine-installed metal reinforced integrated gasket seal are installed following the best practice of sealing using European Belling Equipment.	
	B.7. Certificate notarized Laboratory Test Result issued by the manufacturer of uPVC pipe that Normal Working Pressure is 150 psi and Maximum Working Pressure is 760 psi.	
	B.8. Certificate notarized and issued by the manufacturer indicating the year 2021 manufactured and availability of the uPVC pipe for the next 20 years.	
	<p>B.9. Provide one (1) sample of at least one (1) meter length of</p> <p>a) 150mm diameter uPVC pipe; and</p> <p>b) 100mm diameter uPVC pipe</p> <p>to validate markings, pressure test and other details prior to the opening of bids. Failure to submit pipe samples is a ground for ineligibility.</p>	

	B.10. Brochure - The brochures contain specifications such as brand, production capacity, operating pressure and design pressure.	
	B.11. Shop Drawings - The drawing shall indicate measurements of the uPVC pipe dimensions (effective length, nominal size, wall thickness, minimum socket depth, and 15° chamfering at tail end). The drawing shall be used as basis for the civil work.	
	<i>The original copy of these documents shall be submitted during bid opening for verification.</i>	
	C. Supply and Delivery	
	C.1. All uPVC pipes to be delivered shall be of ONE BRAND and be secured from damages.	
	C.2. The uPVC pipes to be delivered shall only be accepted during working days and working hours without any damage.	
	C.3. The delivery point shall be at MFWD Compound, Kihare, Tankulan, Manolo Fortich, Bukidnon.	
	C.4. The said uPVC pipes shall be accepted with the presence of the winning bidder's representative and Mr. Aldwin L. Olaivar with MFWD's TWG member.	
	C.5. Any damage uPVC pipe shall be replaced by the winning bidder.	
	D. Inspection of Goods The inspection team composed of two (2) personnel may reject any goods or any part thereof that fail to pass any test and /or inspection or do not conform to the specifications. The winning bidder shall rectify or replace such rejected goods or parts thereof or make alterations necessary to meet the specifications at no cost to the procuring Entity and shall repeat the test and / or inspection to ensure compliance with the Procuring Entity's Requirements.	
	E. Training During installation, the winning bidder's technical person shall train the MFWD personnel how to install the uPVC pipe within FIVE (5) days. All expenses of the winning bidder's technical person shall be shouldered by the winning bidder.	

	F. Warranty Certificate A notarized certificate issued by the manufacturer indicating at least one (1) year warranty period in all its component and accessories. Defects of 10% of the delivered items occurred within the warranty period will be subject for the replacement of whole items delivered.																									
	G. Free Servicing The winning bidder shall conduct a preventive inspection of the uPVC pipe within warranty period.																									
	H. Terms of Payment Full payment shall be made after complete delivery, submission of notarized warranty certificate, relevant training and submission of acceptance report by the technical working approved by General Manager.																									
	Sampling and Testing Schedule for Assessment of Compliance <table><tr><td><u>General Requirements</u></td><td><u>Minimum Frequency</u></td></tr><tr><td>Diameter and Wall Thickness</td><td>Hourly</td></tr><tr><td>Length</td><td>Every 8 hours</td></tr><tr><td>Appearance</td><td>Every pipe</td></tr><tr><td colspan="2"><u>Test Type</u></td></tr><tr><td>Material</td><td>Once every 6 months or every change of Formulation</td></tr><tr><td>Effect of materials on water quality</td><td>-do-</td></tr><tr><td>Vicat Softening</td><td>-do-</td></tr><tr><td>Water Absorption</td><td>-do-</td></tr><tr><td>Resistance to Sulfuric Acid</td><td>-do-</td></tr><tr><td>Long Term Pressure</td><td>-do-</td></tr><tr><td>Joints</td><td>-do-</td></tr></table>	<u>General Requirements</u>	<u>Minimum Frequency</u>	Diameter and Wall Thickness	Hourly	Length	Every 8 hours	Appearance	Every pipe	<u>Test Type</u>		Material	Once every 6 months or every change of Formulation	Effect of materials on water quality	-do-	Vicat Softening	-do-	Water Absorption	-do-	Resistance to Sulfuric Acid	-do-	Long Term Pressure	-do-	Joints	-do-	
<u>General Requirements</u>	<u>Minimum Frequency</u>																									
Diameter and Wall Thickness	Hourly																									
Length	Every 8 hours																									
Appearance	Every pipe																									
<u>Test Type</u>																										
Material	Once every 6 months or every change of Formulation																									
Effect of materials on water quality	-do-																									
Vicat Softening	-do-																									
Water Absorption	-do-																									
Resistance to Sulfuric Acid	-do-																									
Long Term Pressure	-do-																									
Joints	-do-																									

	<p><u>Quality Test</u></p> <p>Longitudinal Reversion</p> <p>Resistance to Acetone</p> <p>Burst Pressure</p> <p>Short Term Pressure</p> <p>Resistance to External Blows</p>	<p><u>Control</u></p> <p>Every 8 hours</p> <p>-do-</p> <p>-do-</p> <p>Every 24 hours</p> <p>Every 8 hours</p>	
--	--	---	--

Item	Unplasticized Polyvinyl Chloride (uPVC)	Compliance with Technical Specifications
I	150 mm diameter – Series 8	
a	Pipe Composition	
	- in accordance to PNS 65:1993 for uPVC Pipes for Potable Water Supply	
	- PVC resin should be made with 90% K65 Resin By Mass in accordance to PNS 291:1991	
	- Number of Pieces, 337pcs/6.00m	
	- nominal outside diameter, 160 mm	
	- diameter tolerance, 160.50 mm	
	- minimum wall thickness, 9.2 mm	
	- minimum socket depth, 131 mm	
	- Normal Working Pressure, 150 psi	
	- Maximum Working Pressure, 760 psi	
	- C-Value (Hazen- Williams flow factor) is in range from 140 to 160	
	- 15° chamfered at tail end in accordance to PNS 65:1993	
	- Socket type in accordance to ISO 1452-2	
	- Temperature resistance at 170°C	
	- For potable water supply	
	- 2021 year manufactured	
	- Genuine printing/Marking	

b	Jointing / Seal	
	- Machine-installed metal reinforced integrated gasket seal in accordance to ISO4633 (EPDM rubber) and SAE1008 (Carbon Steel)	
	- Resilient with chemical contact associated in treatment of potable water	

 (Printed Name and Signature)
 Bidder's Authorized Representative

 Date

Item	Unplasticized Polyvinyl Chloride (uPVC)	Compliance with Technical Specifications
II	100 mm diameter – Series 8	
a	Pipe Composition	
	- in accordance to PNS 65:1993 for uPVC Pipes for Potable Water Supply	
	- PVC resin should be made with 90% K65 Resin By Mass in accordance to PNS 291:1991	
	- Number of Pieces, 160pcs/6.00m	
	- nominal outside diameter, 110 mm	
	- diameter tolerance, 110.40 mm	
	- minimum wall thickness, 6.3 mm	
	- minimum socket depth, 114 mm	
	- Normal Working Pressure, 150 psi	
	- Maximum Working Pressure, 760 psi	
	- C-Value (Hazen- Williams flow factor) is in range from 140 to 160	
	- 15° chamfered at tail end in accordance to PNS 65:1993	
	- Socket type in accordance to ISO 1452-2	
	- Temperature resistance at 170°C	
	- For potable water supply	
	- 2021 year manufactured	
	- Genuine printing/Marking	
b	Jointing / Seal	
	- Machine-installed metal reinforced integrated gasket seal in accordance to ISO4633 (EPDM rubber) and SAE1008 (Carbon Steel)	
	- Resilient with chemical contact associated in treatment of potable water	

 (Printed Name and Signature)
 Bidder's Authorized Representative

 Date

Item	Unplasticized Polyvinyl Chloride (uPVC)	Compliance with Technical Specifications
III	100mmø double hub – Series 8	
a	Pipe Composition	
	- in accordance to PNS 65:1993 for uPVC Pipes for Potable Water Supply	
	- PVC resin should be made with 90% K65 Resin By Mass in accordance to PNS 291:1991	
	- Number of Pieces, 29pcs	
	- nominal outside diameter, 110 mm	
	- diameter tolerance, 110.40 mm	
	- minimum wall thickness, 6.3 mm	
	- minimum socket depth, 114 mm	
	- Normal Working Pressure, 150 psi	
	- Maximum Working Pressure, 760 psi	
	- C-Value (Hazen- Williams flow factor) is in range from 140 to 160	
	- Socket type in accordance to ISO 1452-2	
	- Temperature resistance at 170°C	
	- For potable water supply	
	- 2021 year manufactured	
	- Genuine printing	
b	Jointing / Seal	
	- Machine-installed metal reinforced integrated gasket seal in accordance to ISO4633 (EPDM rubber) and SAE1008 (Carbon Steel)	
	- Resilient with chemical contact associated in treatment of potable water	

 (Printed Name and Signature)
 Bidder's Authorized Representative

 Date

Item	Unplasticized Polyvinyl Chloride (uPVC)	Compliance with Technical Specifications
IV	75mmø double hub – Series 8	
a	Pipe Composition	
	- in accordance to PNS 65:1993 for uPVC Pipes for Potable Water Supply	
	- PVC resin should be made with 90% K65 Resin By Mass in accordance to PNS 291:1991	
	- Number of Pieces, 28pcs	
	- nominal outside diameter, 90 mm	
	- diameter tolerance, 90.30 mm	
	- minimum wall thickness, 5.2 mm	
	- minimum socket depth, 107 mm	
	- Normal Working Pressure, 150 psi	
	- Maximum Working Pressure, 760 psi	
	- C-Value (Hazen- Williams flow factor) is in range from 140 to 160	
	- Socket type in accordance to ISO 1452-2	
	- Temperature resistance at 170°C	
	- For potable water supply	
	- 2021 year manufactured	
	- Genuine printing/Marking	
b	Jointing / Seal	
	- Machine-installed metal reinforced integrated gasket seal in accordance to ISO4633 (EPDM rubber) and SAE1008 (Carbon Steel)	
	- Resilient with chemical contact associated in treatment of potable water	

 (Printed Name and Signature)
 Bidder's Authorized Representative

 Date

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
or
- ☐ (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
and
- ☐ (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
and
- ☐ (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- ☐ (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- ☐ (f) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- ☐ (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- ☐ (i) Original duly signed Omnibus Sworn Statement (OSS);
and if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (j) The Supplier’s audited financial statements, showing, among others, the Supplier’s total and current assets and liabilities, stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding

calendar year which should not be earlier than two (2) years from the date of bid submission; **and**

- ☐ (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- ☐ (l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (m) Original of duly signed and accomplished Financial Bid Form; **and**

- ☐ (n) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- ☐ (o) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.

- ☐ (p) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

